

DEVILBISS iSystem pro

SPRAY GUN SET UP SELECTOR: Gun Inlet Pressure 2.0 bar or as stated
 LACKDATENBLATT: Eingangsdruck: ca. 2.0 bar wie unten angegeben
 PISTOLET ET TABLEAU DES REGLAGES: Pression à l'entrée du pistolet 2.0 bar ou comme indiqué
 SCHEDA ALLESTIMENTO AEROGRAFO: pressione aria 2,0 bar o come indicato
 CONFIGURACIONES DE PISTOLAS: Presión a la entrada de la pistola 2.0 bar o según lo indicado

SPECTRAL
 COLOR TECHNOLOGY



SPRi Pro



GLi Pro



GLi Pro



GLi Pro



GLi Pro



SPRi Pro

CATEGORY	MATERIAL
WASH PRIMER	UNDER 345
EPOXY PRIMER WET-ON-WET	UNDER 385
NON SANDING PRIMER	UNDER 325 WET-ON-WET
	UNDER 335 WET-ON-WET
	UNDER 365 WET-ON-WET
FILLERS	UNDER 335
	UNDER 355
	UNDER 365
2K SINGLE STAGE	SPECTRAL 2K
SOLVENTBORNE BASECOAT	SPECTRAL BASE
WATERBORNE BASECOAT	SPECTRAL WAVE
CLEARCOATS	KLAR 505/555
	KLAR 565
	KLAR 575
	KLAR 535 MAT

PRIMER	BASE	CLEAR	BASE	CLEAR	SMART
-	-	TE10 - 1.2/1.3	-	T1 - 1.2/1.3 (1.5 - 2.0 Bar)	-
-	-	TE10 - 1.2 (1.5 Bar)	-	T1 - 1.2 (1.5 - 2.0 Bar)	-
-	-	TE20 - 1.3 (1.5 - 2.0 Bar)	-	T2 - 1.3 (1.5 - 2.0 Bar)	-
-	-	TE10/TE20 - 1.2/1.3 (1.5 - 2.0 Bar)	-	T1/T2 - 1.2/1.3 (1.5 - 2.0 Bar)	-
-	-	TE10/TE20 - 1.3 (1.5 - 2.0 Bar)	-	T1/T2 - 1.3 (1.5 - 2.0 Bar)	-
P1 - 1.6/1.8 (1.5 - 2.0 bar)	-	-	-	-	-
P1 - 1.6/1.8 (1.5 - 2.0 bar)	-	-	-	-	-
P1 - 1.6/1.8 (1.5 - 2.0 bar)	-	-	-	-	-
-	-	TE10/TE20 - 1.2/1.4	-	T110/T1/T2 - 1.2/1.4	-
-	HV30 - 1.3 (1.5 - 2.0 bar)	-	H1 - 1.3 (1.5 - 2.0 bar)	-	HS1 - 0.8 (1.5 - 2.0 bar)
-	HV30 - 1.3 (1.5 - 2.0 bar)	-	H1 - 1.3 (1.5 - 2.0 bar)	-	HS1 - 0.8 (1.5 - 2.0 bar)
-	-	TE10/TE20 - 1.2/1.3 (1.5 - 2.0 Bar)	-	T110/T1/T2 - 1.2/1.3	HS1 - 0.8 (1.5 - 2.0 bar)
-	-	TE10/TE20 - 1.2/1.3 (1.5 - 2.0 Bar)	-	T110/T1/T2 - 1.2/1.3	TS1 - 1.0 (1.5 - 2.0 bar)
-	-	TE10/TE20 - 1.2/1.4 (1.5 - 2.0 Bar)	-	T110/T1/T2 - 1.2/1.4	TS1 - 1.0 (1.5 - 2.0 bar)
-	-	TE20 - 1.2/1.4 (1.5 - 2.0 Bar)	-	T2 - 1.2/1.4	TS1 - 1.0 (1.5 - 2.0 bar)