















## UBREMSEDE HENGERE

	Nr	Modell	Båtlengde (fot)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Lengde (m)	Bredde (m)	Rammetype	Type aksling	Dekk / Felg type/ maks last (kg)	2020 (NOK) inkl. MVA
	8768	400V451T160 <b>400E</b>	14	400	137	263	4,55	1,60	Sveiset	Torsjon	155R13 MS 4x100 500kg	8 950
	10508	700V451T160 <b>700E</b>	14	700	162	538	4,58	1,60	Sveiset	Torsjon	155R13 MS 4x100 500kg	10 890
	9990-1	750V501T199 <b>750SL</b>	16	750	184	566	5,02	1,99	Sveiset	Torsjon	155R13 MS 4x100 500kg	13 550
	9980 (8520)	750V571T209 <b>750P</b>	18	750	238	512	5,70	2,09	Skrudd sammen	Torsjon	155R13 MS 4x100 500kg	14 950





## BREMSEDE HENGERE

	Nr	Modell	Båtlengde (fot)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Lengde (m)	Bredde (m)	Rammetype	Type aksling	Dekk / Felg type/ maks last (kg)	2020 (NOK) inkl. MVA
	9989 (8521)	1000V571T209 <b>1000P</b>	18	1000	276	724	5,70	2,10	Skrudd sammen	Torsjon	155R13 MS 4x100 500kg	19 850
	9988 (8880)	1200V621T209 <b>1200P</b>	19	1200	300	900	6,20	2,09	Skrudd sammen	Torsjon	155R13C MS 5x112 600kg	23 990
	9987 (8422)	1350V651T209 <b>1350P</b>	20	1350	371	979	6,52	2,09	Skrudd sammen	Torsjon	185R14C MS 5x112 900kg	27 690
	9979 (8439)	1500V681T230 <b>1500P</b>	21	1500	385	1115	6,82	2,09	Skrudd sammen	Torsjon	185R14C MS 5x112 900kg	30 690
	5509	1800V662T209 <b>1800P</b>	21	1800	499	1301	6,62	2,09	Sveiset	Dobbelt Torsjon	155R13 MS 4x100 500kg	38 150
	7655	2000V712T230 <b>2000P</b>	22	2000	557	1443	7,07	2,30	Sveiset	Dobbelt Torsjon	155R13 MS 4x100 500kg	43 690





## BREMSEDE HENGERE

	Nr	Modell	Båtlengde (fot)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Lengde (m)	Bredde (m)	Rammetype	Type aksling	Dekk / Felg type/ maks last (kg)	2020 (NOK) inkl. MVA
	7468	2700V802T230 <b>2700P</b>	25	2700	735	1965	7,97	2,30	Sveiset	Dobbelt Torsjon	185R14C MS 5x112 900kg	48 550
	6065	3500V822T252 <b>3500P</b>	26	3500	900	2600	8,23	2,52	Sveiset	Dobbelt Torsjon	185R14C MS 5x112 900kg	62 190






## MULTIROLLER HENGERE

	Nr	Modell	Båtlengde (fot)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Lengde (m)	Bredde (m)	Rammetype	Type aksling	Dekk / Felg type/ maks last (kg)	2020 (NOK) inkl. MVA
	11961	750V571L209 <b>750MR</b>	18	750	232	518	5,74	2,09	Sveiset	Bladfjærer	155R13 MS 4x100 500kg	17 390
	11610	1000V571L209 <b>1000MR</b>	18	1000	314	686	5,74	2,09	Sveiset	Bladfjærer	155R13 MS 4x100 500kg	26 150
	11450	1350V651L209 <b>1350MR</b>	20	1350	415	935	6,45	2,09	Sveiset	Bladfjærer	185R14C MS 5x112 900kg	32 650
	11269	1800V661L209 <b>1800MR</b>	20	1800	485	1315	6,55	2,10	Sveiset	Bladfjærer	185R14C MS 5x112 900kg	38 690
	10745	2000V712T230 <b>2000MR</b>	22	2000	570	1430	7,07	2,30	Sveiset	Dobbelt Torsjon	155R13 MS 4x100 500kg	44 350
	10493	2700V802T230 <b>2700MR</b>	25	2700	728	1972	7,97	2,30	Sveiset	Dobbelt Torsjon	185R14C MS 5x112 900kg	50 890








## MULTIROLLER HENGERE

	Nr	Modell	Båtlengde (fot)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Lengde (m)	Bredde (m)	Rammetype	Type aksling	Dekk / Felg type/ maks last (kg)	2020 (NOK) inkl. MVA
	10234	3500V822T252 <b>3500MR</b>	26	3500	884	2616	8,20	2,52	Sveiset	Dobbelt Torsjon	185R14C MS 5x112 900kg	62 850
	15303	3500V912T252 <b>3500MR L</b>	28	3500	1040	2460	9,10	2,52	Sveiset	Dobbelt Torsjon	185R14C MS 5x112 900kg	71 590
	11555	3500V912T252 <b>4500MR LH</b>	28	4500	1040	3460	9,10	2,52	Sveiset	Dobbelt Torsjon	185R14C MS 5x112 900kg	90 490







## VANNSCOOTER HENGERE

	Nr	Modell	Båtlengde (fot)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Lengde (m)	Bredde (m)	Rammetype	Type aksling	Dekk / Felg type/ maks last (kg)	2020 (NOK) inkl. MVA
	13558	750V391T160 <b>750VS ECO</b>	10 til 11	750	154	596	3,87	1,60	Sveiset	Torsjon	155R13 MS 4x100 500kg	9 890
	5359	750V451T179 <b>750VSL</b>	12	750	174	576	4,47	1,79	Sveiset	Torsjon	155R13 MS 4x100 500kg	12 490
	6591	1000V481T179 <b>1000VSL</b>	12	1000	211	789	4,80	1,79	Sveiset	Torsjon	155R13 MS 4x100 500kg	18 390
	9340	1350V551T255 <b>1350VSD</b>	12	1350	327	1023	5,55	2,55	Sveiset	Torsjon	185R14C MS 5x112 900kg	29 990

## HENGERE FOR PIONER OG ANDRE ROTASJONSTØPTE BÅTER





	Nr	Modell	Båtlengde (fot)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Lengde (m)	Bredde (m)	Rammetype	Type aksling	Dekk / Felg type/ maks last (kg)	2020 (NOK) inkl. MVA
	5361	750V431T160 750RS <b>Dobbel</b>	13	750	172	578	4,25	1,60	Skrudd sammen	Torsjon	155R13 MS 4x100 500kg	11 990
	5361	750V431T160 750RS <b>Single</b>	13	750	172	578	4,25	1,60	Skrudd sammen	Torsjon	155R13 MS 4x100 500kg	11 990
	5361	750V431T160 750RS <b>Pio</b>	13	750	172	578	4,25	1,60	Skrudd sammen	Torsjon	155R13 MS 4x100 500kg	11 990
	8571	750V511T209 750 <b>C</b>	15	750	228	522	5,16	2,09	Skrudd sammen	Torsjon	155R13 MS 4x100 500kg	15 290
	8947	1000V541T209 1000 <b>C</b>	15	1000	264	736	5,40	2,10	Skrudd sammen	Torsjon	155R13 MS 4x100 500kg	20 390
	7322	1350V671T229 1350P <b>Multi III</b>	17	1350	468	882	6,70	2,29	Sveiset	Torsjon	185R14C MS 5x112 900kg	39 790

## OPPLAGSHENGERE

	Nr	Modell	Båtlengde (fot)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Lengde (m)	Bredde (m)	Rammetype	Type aksling	Dekk / Felg type/ maks last (kg)	2020 (NOK) inkl. MVA
	10509	750V481J160 <b>RO 750</b>	15	900	125	775	4,85	1,60	Sveiset		155R13 MS 4x100 500kg	8 990
	10857	900V561J182 <b>RO 900</b>	17	1100	200	900	5,60	1,82	Sveiset		155R13 MS 4x100 500kg	11 490
	10858	1100V591J182 <b>RO 1100</b>	18	1350	218	1132	5,90	1,82	Sveiset		155R13 MS 4x100 500kg	13 790
	4931	1300V651J182 <b>RO 1300</b>	20	1600	280	1320	6,56	1,83	Sveiset		185R14C MS 5x112 900kg	15 350
	10015	1500V651J182 <b>RO 1500</b>	20	1800	287	1513	6,43	1,84	Sveiset		185R14C MS 5x112 900kg	16 650



## OPPLAGSHENGERE

	Nr	Modell	Båtlengde (fot)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Lengde (m)	Bredde (m)	Rammetype	Type aksling	Dekk / Felg type/ maks last (kg)	2020 (NOK) inkl. MVA
	8254	2000V682J210 <b>RO 2000</b>	21	2400	360	2040	6,89	2,10	Sveiset		155R13 MS 4x100 500kg	23 490
	12120	3500V792J230 <b>RO 3500 MR</b>	25	4200	700	3500	7,87	2,29	Sveiset		185R14C MS 5x112 900kg	40 390
	13990	3500V913J252 <b>RO 3500 MR</b>	28	5000	938	4062	9,01	2,39	Sveiset		185R14C MS 5x112 900kg	54 490